

## Part B Radiopharmaceuticals and Drugs Used in Conjunction With Cardiovascular Testing

The following radiopharmaceuticals may be billed by an Independent Diagnostic Testing Facility (IDTF) when they are performed in conjunction with medically necessary testing by the appropriate nuclear medicine personnel. The radiopharmaceutical must be an expense to the IDTF.

A4641	Supply of radiopharmaceutical diagnostic imaging agent not otherwise classified
A4642	Supply of satumomab pendetide, radiopharmaceutical diagnostic imaging agent, per study dose
A9500	Technetium Tc-99m sestamibi, diagnostic, per study dose, up to 40 millicuries
A9502	Technetium Tc-99m tetrofosmin, diagnostic, per study dose, up to 40 millicuries (Myoview™)
A9503	Technetium Tc-99m medronate, diagnostic, per study dose, up to 30 millicuries (technetium Tc-99m mdp)
A9504	Technetium Tc-99m apcitide, diagnostic, per study dose, up to 20 millicuries
A9505	Thallium tl-201 thallos chloride, diagnostic, per millicurie
A9507	Indium in-111 capromab pendetide, diagnostic, per study dose, up to 10 millicuries
A9508	Iodine i-131 iobenguane sulfate, diagnostic, per 0.5 millicurie
A9509	Iodine I-123 sodium iodine, diagnostic, per millicurie
A9510	Technetium Tc-99m disofenin, diagnostic, per study dose, up to 15 millicuries (Hepatolite®)
A9512	Technetium Tc-99m pertechnetate, diagnostic, per millicurie
A9516	Iodine i-123 sodium iodide capsule(s), diagnostic, per 100 microcuries
A9521	Supply of radiopharmaceutical diagnostic imaging agent, technetium Tc-99m exametazine, per dose
A9524	Iodine i-131 iodinated serum albumin, diagnostic, per 5 microcuries
A9526	Nitrogen n-13 ammonia, diagnostic, per study dose, up to 40 millicuries
A9528	Iodine i-131 sodium iodide capsule(s), diagnostic, per millicurie
A9529	Iodine i-131 sodium iodide solution, diagnostic, per millicurie

A9531	Iodine i-131 sodium iodide, diagnostic, per microcurie (up to 100 microcuries)
A9532	Iodine i-125 serum albumin, diagnostic, per 5 microcuries
A9535	Injection, methylene blue, 1 ml
A9536	Technetium Tc-99m depreotide, diagnostic, per study dose, up to 35 millicuries
A9537	Technetium Tc-99m mebrofenin, diagnostic, per study dose, up to 15 millicuries
A9538	Technetium Tc-99m pyrophosphate, diagnostic, per study dose, up to 25 millicuries
A9539	Technetium Tc-99m pentetate, diagnostic, per study dose, up to 25 millicuries
A9540	Technetium Tc-99m macroaggregated albumin, diagnostic, per study dose, up to 10 millicuries
A9541	Technetium Tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries
A9542	Indium in-111 ibritumomab tiuxetan, diagnostic, per study dose, up to 5 millicuries
A9544	Iodine i-131 tositumomab, diagnostic, per study dose
A9546	Cobalt co-57/58, cyanocobalamin, diagnostic, per study dose, up to 1 microcurie
A9547	Indium in-111 oxyquinoline, diagnostic, per 0.5 millicurie
A9548	Indium in-111 pentetate, diagnostic, per 0.5 millicurie
A9550	Technetium Tc-99m sodium gluceptate, diagnostic, per study dose, up to 25 millicurie
A9551	Technetium Tc-99m succimer, diagnostic, per study dose, up to 10 millicuries
A9552	Fluorodeoxyglucose f-18 fdg, diagnostic, per study dose, up to 45 millicuries
A9553	Chromium cr-51 sodium chromate, diagnostic, per study dose, up to 250 microcuries
A9554	Iodine i-125 sodium iothalamate, diagnostic, per study dose, up to 10 microcuries
A9555	Rubidium rb-82, diagnostic, per study dose, up to 60 millicuries
A9556	Gallium ga-67 citrate, diagnostic, per millicurie
A9557	Technetium Tc-99m biccisate, diagnostic, per study dose, up to 25 millicuries

A9558	Xenon xe-133 gas, diagnostic, per 10 millicuries
A9559	Cobalt co-57 cyanocobalamin, oral, diagnostic, per study dose, up to 1 microcurie
A9560	Technetium Tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries
A9561	Technetium Tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries
A9562	Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries
A9565	Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries
A9566	Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries
A9567	Technetium Tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries
A9569	Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose
A9570	Indium In-111 labeled autologous white blood cells, diagnostic, per study dose
A9571	Indium In-111 labeled autologous platelets, diagnostic, per study dose
A9572	Indium In-111 pentetate, diagnostic, per study dose, up to 6 millicuries
A9580	Sodium fluoride F-18
A9581	Injection, gadoxetate disodium, 1 ml
A9582	Iodine i-123 iobenguane, diagnostic, per study dose, up to 15 millicuries
A9583	Injection, gadofosveset trisodium, 1 ml
A9698	Non-radioactive contrast imaging material, not otherwise classified, per study

The following drugs/contrast materials may be billed by an IDTF when they are used in conjunction with a medically necessary test by properly certified personnel. The drug/contrast material must be an expense to the IDTF.

J0152	Adenosine, 30 mg
J1245	Dipyridamole, per 10 mg (persantine)
J1250	Dobutamine hydrochloride, per 250 mg (Dobutrex®)
J2785	Regadenoson, 0.1 mg

A9576	Injection, gadoteridol (ProHance <sup>®</sup> multipack), per ml
A9577	Injection, gadobenate dimeglumine (MultiHance <sup>®</sup> ), per ml
A9578	Injection, gadobenate dimeglumine (MultiHance <sup>®</sup> multipack), per ml
A9579	Injection, gadolinium-based magnetic resonance contrast agent, not otherwise specified, per ml
A9700	Supply of injectable contrast material for use in echocardiography, per study
Q9951	LOCM $\geq$ 400 mg/ml iodine, 1 ml
Q9952	Inj gad-base MR contrast, ml
Q9953	Inj fe-based MR contrast, ml
Q9954	Oral MR contrast 100 ml
Q9955	Inj perflexane lip micros, ml
Q9956	Inj octafluoropropane mic, ml
Q9957	Inj perflutren lip
Q9958	HO CM $\leq$ 149 mg/ml iodine
Q9959	HO CM 150–199 mg/ml iodine
Q9960	HO CM 200–249 mg/ml iodine
Q9961	HO CM 250–299 mg/ml iodine
Q9962	HO CM 300–349 mg/ml iodine
Q9963	HO CM 350–399 mg/ml iodine
Q9964	HO CM $\geq$ 400 mg/ml iodine
Q9965	LO CM 100–199 mg/ml iodine
Q9966	LO CM 200–299 mg/ml iodine
Q9967	LO CM 300–399 mg/ml iodine
Q9968	Injection, non-radioactive, non-contrast, visualization adjunct 1 mg